L Number	Hits	Search Text	DB	Time stamp
10	542	(block prevent) with memory adj access with	USPAT;	2004/03/19 08:48
10	342	processor	EPO; JPO	2004/03/13 08:48
11	138	(block prevent) adj memory with access with	USPAT;	2004/03/19 08:48
**	130	processor	EPO; JPO	2001, 03, 15 00.10
12	18	(block prevent) adj memory adj access with	USPAT;	2004/03/19 08:50
1		processor	EPO; JPO	
13	27	(block prevent) with memory with access with	USPAT;	2004/03/19 08:59
-		processor with secur\$4	EPO; JPO	,,
14	1	("0274715").PN.	USPAT;	2004/03/19 08:56
	_	, , , , , , , , , , , , , , , , , , , ,	EPO; JPO	
15	96	secur\$4 with memory with processor and	USPAT;	2004/03/19 09:00
		multiprocessor	EPO; JPO	, ,
16	92		USPAT;	2004/03/19 09:09
		multiprocessor not ((block prevent) with	EPO; JPO	
		memory with access with processor with		
		secur\$4)		,
17	405		USPAT;	2004/03/19 0/9:11
		and multiprocessor not ((block prevent) with	EPO; JPO	/ -
		memory with access with processor with		
		secur\$4)		0001/05/55
18	11		USPAT;	2004/03/19 09:13
	_	and multiprocessor and 713/\$.ccls.	EPO; JPO	2004/02/10 22 2
19	1	, , ,	USPAT;	2004/03/19 09:17
22	_	bus adj master	EPO; JPO	2004/02/10 00 10
22	9	"prevent memory access" with processor	USPAT; EPO; JPO	2004/03/19 09:19
1_	101	   generat\$3 with ("xor" "exclusive or"	USPAT;	2004/03/12 16:15
-	. 101	exclusiveor) with (file program data kernel	EPO; JPO	2004/03/12 10:13
		core) and 713/\$.ccls.	EFO, UFO	
	0	combine with file with "xor"	USPAT;	2004/03/12 16:15
	_		EPO; JPO	
_	1	combine with file with "exclusive or"	USPAT;	2004/03/15 09:52
			EPO; JPO	
-	16	secure with (boot bootstrap) and prevent\$4	USPAT;	2004/03/15 12:53
		with memory with access	EPO; JPO	
-	2	(("6546489") or ("6557104")).PN.	USPAT;	2004/03/17 09:15
			EPO; JPO	
-	14		USPAT	2004/03/15 12:53
		"5237616"		l i
		"5606615"   "5615263"   "5652890"     "5664225"   "5748888"   "5778071"		
		"5883956"   "5953422").PN.		
_	15		USPAT	2004/03/15 13:16
		"5341421"   "5377264"   "H001414"		
		"5430865"	-	
		"5712973"   "5802069"   "5809337"		
		"5835760"   "5844986"   "6185507").PN.		
-	19517	memory with controller with processor	USPAT;	2004/03/17 09:16
			EPO; JPO	
-	730	memory with controller with processor with	USPAT;	2004/03/17 09:17
		(code microcode)	EPO; JPO	
-	145		USPAT;	2004/03/17 09:20
	*	(code microcode) with execut\$4	EPO; JPO	2004/02/27 22
-	16	1 1 2	USPAT;	2004/03/17 10:44
	5895	(code microcode) with execut\$4	EPO; JPO USPAT:	2004/03/17 10:45
1	2025	processor with control with memory with controller	EPO; JPO	2004/03/1/ 10:45
_	6		USPAT;	2004/03/17 14:57
		controller ) and (memory adj controller with	EPO; JPO	
		processor with (code microcode) with	]	
		execut\$4)	1	
-	40		USPAT;	2004/03/18 09:09
		(system adj memory ram "random access	EPO; JPO	
		memory" sram) and reset with processor and	1	
	_	protect\$4 with memory		
-	18		USPAT;	2004/03/19 08:47
		(system adj memory ram "random access	EPO; JPO	
1		memory" sram) and clear with processor and	1	
	L	protect\$4 with memory	1	<u>l</u>

-	2	memory adj controller with processor with	USPAT;	2004/03/18 09:12
		(system adj memory ram "random access	EPO; JPO	
		memory" sram) and reset with processor and		
		prevent with bus adj master		l l
-	1		USPAT;	2004/03/18 09:27
		(system adj memory ram "random access	EPO; JPO	
		memory" sram) and clear with processor and		
		prevent with bus adj master		ĺ
-	9	prevent\$4 with bus adj master with (memory	USPAT;	2004/03/18 09:37
		ram dram sram) and (reset clear) with	EPO; JPO	
		processor		
-	234	(clear reset) with (CPU processor cache) and	USPAT;	2004/03/18 09:40
		(prevent block) with bus adj master	EPO; JPO	
_	203	(clear reset) with (CPU processor cache) and	USPAT;	2004/03/18 09:40
,		(prevent block) with bus adj master and	EPO; JPO	
		initial\$6		
-	147	(clear reset) with (CPU processor cache) and	USPAT;	2004/03/18 09:42
		(prevent block) with bus adj master and	EPO; JPO	
		initial\$6 and memory adj controller	1	
-	23	(clear reset) with (CPU processor cache) and	USPAT;	2004/03/18 09:42
		(prevent block) with bus adj master and	EPO; JPO	
		initial\$6 and memory adj controller with		
		reset		
-	25		USPAT;	2004/03/18 10:21
		(prevent block) with bus adj master and	EPO; JPO	
		initial\$6 and memory adj controller with		
		(reset clear)		
-	4	(("6546489") or ("6557104") or ("6480948")	USPAT;	2004/03/18 10:26
		or ("5778070")).PN.	EPO; JPO	
-	0	((("6546489") or ("6557104") or ("6480948")	USPAT;	2004/03/18 10:26
i		or ("5778070")).PN.) and "bus master"	EPO; JPO	
-	3	((("6546489") or ("6557104") or ("6480948")	USPAT;	2004/03/18 11:40
		or ("5778070")).PN.) and bus	EPO; JPO	
-	20		USPAT;	2004/03/18 13:03
		plural) with (sources devices)	EPO; JPO	
-	20	combin\$4 with sources with "xor"	USPAT;	2004/03/18 13:29
			EPO; JPO	
-	17	("4316055"   "4613901"   "4953208"	USPAT	2004/03/18 13:12
		"5020106"   "5195136"   "5509073"		1
		"5590194"   "5621799"   "6521799"		
		"5673319"   "5825879"   "5852472"		
		"5862150"   "5940509"   "6005940"		
		"6061449"   "6167136").PN.		
-	5	memory adj controller with prevent\$4 with	USPAT;	2004/03/18 14:13
		bus adj master	EPO; JPO	
-	5	memory adj controller with block\$4 with bus	USPAT;	2004/03/18 14:13
		adj master	EPO; JPO	
-	5	········-	USPAT;	2004/03/19 09:16
		adj master not (memory adj controller with	EPO; JPO	
		prevent\$4 with bus adj master)		

L Number	Hits	Search Text	DB	Time stamp
L Number	169		USPAT;	2004/01/26 15:44
-	105	with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	2004/01/20 13:44
		clear\$4) with (cpu processor)	EPO EPO	
l <b>-</b>	1		USPAT;	2004/01/26 14:51
	_	program) with (load initializ\$4 run\$4) and	US-PGPUB;	
		(reset\$4 clear\$4) with (cpu processor) and	EPO	
		(prevent\$4 stop\$4) with memory with access		
		and (unsecur\$ and untrust\$4) with (code		
		instructions program)		
-	5	"60105891"	USPAT;	2004/01/26 15:16
			US-PGPUB;	
		W.CO./105.007.	EPO	/ / /
-	10	"60/105,891"	USPAT;	2004/01/26 15:44
			US-PGPUB; EPO	
_	100	secur\$5 with (instructions code program)	USPAT;	2004/01/26 15:45
	100	with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	2004/01/20 15.45
		clear\$4) with (cpu processor) and \$3crypt\$4	EPO EPO	
-	6		USPAT;	2004/01/26 16:05
		with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	
		clear\$4) with (cpu processor) and \$3crypt\$4	EPO	
		with (instructions code program) and		
		exclusive adj "or"		
-	67		USPAT;	2004/01/26 16:06
		with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	
		clear\$4) with (cpu processor) and \$3crypt\$4 with (instructions code program)	EPO	
_	36		USPAT; EPO	2004/01/26 16:06
-	36	with (load initializ\$4 run\$4) and (reset\$4	USPAI; EPU	2004/01/26 16:06
. [		clear\$4) with (cpu processor) and \$3crypt\$4		
		with (instructions code program)		
-	1		USPAT;	2004/01/27 11:33
		load with trusted with memory and reset with	US-PGPUB;	
		(cpu processor)	EPO	
-	26	1	USPAT;	2004/01/27 12:28
		reset with (cpu processor)	US-PGPUB;	
			EPO	0004/05/05 10 50
_	138	secure with load with (instruction code	USPAT;	2004/01/27 12:30
		program)	US-PGPUB; EPO	
_	85	secure with load with (instruction code	USPAT;	2004/01/27 12:33
		program) and @ad<20001122	US-PGPUB;	2004,01,2, 12.33
		FJ,	EPO	
-	85	secure with load with (instruction code	USPAT;	2004/01/27 12:35
		program) and @ad<20001122 not microsoft.as.	US-PGPUB;	
			EPO	
-	8	secure with load with (instruction code	USPAT;	2004/01/28 10:56
		program) and @ad<20001122 and (clear reset)	US-PGPUB;	
	_	with CPU	EPO	2004/01/20 10 20
1 _	3 16	6378072.URPN.   ("4168396"   "4278837"   "4319079"	USPAT USPAT	2004/01/28 10:09
-	1	("4168396"   "4278837"   "4319079"     "4405829"   "4433207"   "4465901"	USFAI	2004/01/28 10:15
		"4799635"   "4928234"   "5343527"		
		"5421006"   "5625690"   "5717379"		
		"5835594"   "5844986"   "5884986"		
		"6092147").PN.		
-	34	(untrusted unsecure) with (load init\$7) with	USPAT;	2004/01/28 10:42
		(secure trusted)	US-PGPUB;	
			EPO	
-	56	(load init\$7) with (secure trusted) with	USPAT;	2004/01/28 10:43
		(program code data instruction) and clear	US-PGPUB;	
_	27	with (CPU processor)	EPO	2004/03/20 30 41
-		(load init\$7) with (secure trusted) with (program code data instruction) and clear	USPAT; US-PGPUB;	2004/01/28 10:44
		with (CPU processor) and (713/\$.ccls.	EPO	
		380/\$.ccls.)		
-	1	("6378072").PN.	USPAT;	2004/01/28 17:02
1	_		US-PGPUB;	, . = , = =
			EPO	

-	1	"09/234,757"	USPAT; US-PGPUB;	2004/01/28 11:31
_	6	(unsecur\$5 untrust\$4) with bios	EPO USPAT; US-PGPUB;	2004/01/28 14:53
-	7	BAB adj opcode	EPO USPAT; US-PGPUB;	2004/01/28 14:56
- ,	7	BAB adj opcode and authenticated adj boot	EPO USPAT; US-PGPUB;	2004/01/28 14:56
-	1	("4558176").PN.	EPO USPAT; US-PGPUB;	2004/01/28 15:34
-	0	("bootwithcomputerwithfloppyandrestorewithback	US-PGPUB;	2120014/01/28 17:03
-	5	boot with computer with floppy and restore with backup with data	EPO USPAT; US-PGPUB;	2004/01/29 09:21
-	31	computer with backup and restore and prevent\$4 with memory with access	EPO USPAT; US-PGPUB;	2004/01/29 09:41
-	13	restore and prevent\$4 with memory with	EPO USPAT; US-PGPUB;	2004/01/29 10:18
-	25	restore and (prevent\$4 stop) with (memory	EPO USPAT; US-PGPUB;	2004/01/29 10:19
-	12	data storage bus) with access (computer with backup and computer with restore and (prevent\$4 stop) with (memory data storage bus) with access) not (computer with backup and computer with restore and	EPO USPAT; US-PGPUB; EPO	2004/01/29 10:19
	163	prevent\$4 with memory with access)	USPAT; US-PGPUB;	2004/03/08 10:58
-	68	713/164.ccls. and secure with (program operating code instruction)	EPO USPAT; US-PGPUB;	2004/03/08 10:59
-	13	713/164.ccls. and secure with (program operating code instruction) with (boot load initialize)	EPO USPAT; US-PGPUB; EPO	2004/03/08 11:00
-	4	713/164.ccls. and secure with (program operating code instruction) with (boot load initialize)	USPAT; EPO	2004/03/08 11:00
-	1	("5919257").PN.	USPAT; EPO; JPO	2004/03/08 12:21
-	29	trostle.in.	USPAT; EPO; JPO	2004/03/08 15:32
-	19	("5196840"   "5202997"   "5204961"   "5210795"   "5287519"   "5313637"   "5341422"   "5349642"   "5355489"	USPAT	2004/03/08 12:23
		"5426775"   "5444850"   "5448045"   "5465357"   "5608801"   "5701463"   "5701491"   "5710817"   "5740371"		·
-	5	"5828888").PN. ("5142680"   "5255379"   "5355490"   "5404527"   "5577210").PN.	USPAT	2004/03/08 13:17
-	39 5	5255379.URPN.	USPAT	2004/03/08 13:18
_		"5027273"   "5144551").PN.	USPAT	2004/03/08 13:18
-	5	or ("5287519") or ("5680547")).PN.	USPAT; EPO; JPO	2004/03/08 16:45
-	3	(("6185678") or ("9938070") or ("4558176")).PN.	USPAT; EPO; JPO	2004/03/09 09:40
-	11	("4200770"   "5146499"   "5379342"   "5410699"   "5421006"   "5564054"   "5629980"   "5692047"   "5745669"	USPAT	2004/03/09 09:40
		"5937063"   "5974546").PN.		

-	17	("3958081"   "3996449"   "4087856"	USPAT	2004/03/09 10:35
		"4120030"   "4168396"   "4183085"		
		"4193131"   "4200770"   "4238854"		
		"4246638"   "4278837"   "4306289"   "4319079"   "4446519"   "4454594"		
		"4319079"   "4446519"   "4454594"    "4458315"   "4471163").PN.		
1_	8	6185678.URPN.	USPAT	2004/03/09 10:38
_	1	"695985"	EPO	2004/03/09 14:30
-	1	("6330670").PN.	USPAT;	2004/03/09 14:46
			EPO; JPO	,,
-	1	("6378072").PN.	USPAT;	2004/03/09 16:48
	1		EPO; JPO	]
-	0	load with operating adj system with (skip\$4	USPAT;	2004/03/09 16:50
		without) adj reset\$4	EPO; JPO	
-	13	load with (operating adj system core) with	USPAT;	2004/03/10 12:44
	o	((skip\$4 without) adj reset\$4 reboot) load with (operating adj system core) with	EPO; JPO USPAT;	2004/03/09 16:55
-		(reset\$4 reboot) same different adj version	EPO; JPO	2004/03/09 16:55
_	43	(reset clear restart) with (CPU processor	USPAT;	2004/03/10 12:49
		"processing unit" "computer chip" system)	EPO; JPO	2001, 03, 10 12.15
		and load with secure with (core "operating		
		system" program code instructions)		
-	3	(reset clear restart) with (CPU processor	USPAT;	2004/03/10 13:12
		"processing unit" "computer chip" system)	EPO; JPO	
		same load with secure with (core "operating		
1_	,	system" program code instructions)	IIODATI -	2004/02/10 12 14
-	1	(reset clear) with (CPU processor processing unit" "computer chip") same load	USPAT; EPO; JPO	2004/03/10 13:14
		with secure with (core "operating system"	BFO, 0FO	
		program code instructions)	1	
-	613	(reset clear) with (CPU processor	USPAT;	2004/03/10 13:15
		"processing unit" "computer chip") same load	EPO; JPO	
		with (core "operating system" program code		
		instructions)		2001/05/55
-	106	(reset clear) with (CPU processor	USPAT;	2004/03/10 13:16
		"processing unit" "computer chip") same load	EPO; JPO	
		with (core "operating system" program code instructions) and bus with reset		
_	63		USPAT;	2004/03/10 13:16
		"processing unit" "computer chip") same load	EPO; JPO	= = = = = = = = = = = = = = = = = = =
		with (core "operating system" program code	,	
		instructions) and bus with reset with signal		
-	9	\= \	USPAT;	2004/03/10 13:34
	.	"processing unit" "computer chip") same load	EPO; JPO	
		with (core "operating system" program code		
		instructions) same bus with reset with signal		
_	334	signal   (reset clear) with (CPU processor	USPAT;	2004/03/10 13:38
	554	"processing unit" "computer chip") same	EPO; JPO	2007/03/10 13.30
		store with (core "operating system" program		
		code instructions) with memory		
-	128	(reset clear) with (CPU processor	USPAT;	2004/03/10 13:39
		"processing unit" "computer chip") same	EPO; JPO	
		store with (core "operating system" program		
	] ,	code instructions) with (ram volitile)	Hone	2004/02/20 22 22
-	4	(reset clear) with (CPU processor processing unit" "computer chip") same	USPAT; EPO; JPO	2004/03/10 13:51
		store with (core "operating system" program	EFO, UPO	
		code instructions) with (ram volitile) and		
	[	713/\$.ccls.	1	
-	10	_	USPAT;	2004/03/10 14:22
		(change relocate move)	EPO; JPO	
-	2	("1209563").PN.	USPAT;	2004/03/10 14:05
			EPO; JPO	0004/00/10 11 1
-	88	vector with reset with (change relocate	USPAT;	2004/03/10 14:23
_	0	move)   vector with reset with (change relocate	EPO; JPO	2004/03/10 14:24
-	"	move) and 713/\$.ccls	USPAT; EPO; JPO	2004/03/10 14:24
-	17		USPAT;	2004/03/10 14:48
		move) and 713/\$.ccls.	EPO; JPO	
			•	·

-	193	<b>3</b>	USPAT;	2004/03/10 14:50
		"central processing unit" processor) and	EPO; JPO	
		reset adj (cpu "central processing unit"		
		processor)		
-	100	bus with reset adj signal with (CPU "central	USPAT;	2004/03/10 14:51
!		processing unit" processor) and reset adj	EPO; JPO	
,		(cpu "central processing unit" processor)		
-	3	bus adj reset adj signal with (CPU "central	USPAT;	2004/03/10 14:50
		processing unit" processor) and reset adj	EPO; JPO	
		(cpu "central processing unit" processor)	·	
<b>!</b> _	20		USPAT;	2004/03/10 15:34
		processing unit" processor) same reset adj	EPO; JPO	,
		(cpu "central processing unit" processor)		
_	207		USPAT;	2004/03/10 15:36
	]	(instructions program code data) with memory	EPO; JPO	2001, 03, 10 13130
l _	13	reset with cpu same (hold keep store) with	USPAT;	2004/03/10 15:44
_	1	(instructions program code data) with memory	EPO; JPO	2004/05/10 15:44
		and 713/\$.ccls.	EFO, UFO	
	54	· ·	HCDATT.	2004/02/10 16-56
-	54		USPAT;	2004/03/10 16:56
		with (CPU processor)	EPO; JPO	0004/03/10 17 00
-	6	(redirect map) with reset adj vector	USPAT;	2004/03/10 17:02
			EPO; JPO	0004/05/55 55 55
-	531	reset adj vector	USPAT;	2004/03/10 17:01
			EPO; JPO	
-	112	reset adj vector and 713/\$.ccls.	USPAT;	2004/03/10 17:02
			EPO; JPO	
-	102		USPAT;	2004/03/10 17:03
		"operating system")	EPO; JPO	
-	159	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/03/10 17:04
		redirect direct adjust repostion)	EPO; JPO	
-	5	reset adj vector with (set change remap map	USPAT;	2004/03/11 09:26
		redirect direct adjust repostion) with	EPO; JPO	
		(volitile ram sram "random access memory")		
-	5		USPAT;	2004/03/11 10:02
		instructions) with (load retrieve get run)	EPO; JPO	
		with (combin\$4 decrypt\$4 recover\$4) with	•	
		(multiple several "two or more" "more than		
		one") with (locations servers drives)		
_	407		USPAT;	2004/03/11 10:05
		((707/10 713/164 713/165 713/166 713/167 713/1		,,
_	29		USPAT;	2004/03/11 10:16
		with (several "more than one" multiple "two	EPO; JPO	=====================================
		or more") and	220, 020	
_	ا و	\$\frac{101}{01}\text{Th3}\deltat1\delta\frac{1}{0}\frac{1}{0}\text{Th3}\delta\frac{1}{0}	STED PATICITIES 1	2004/03/11 10:24
		with boot with "operating system"	EPO; JPO	-551, 55, 11 10.24
_	118	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/11 10:26
	110	program instructions) same combin\$4	EPO; JPO	2001/03/11 10.20
l _	8	"xor" with (code "operating system" core	USPAT;	2004/03/11 10:38
I -	0	"xor" with (code "operating system" core   program instructions) same combin\$4 with	EPO; JPO	2004/03/11 10:38
		(parts portions sections)	EFO; UPO	
	1630	secure with boot	HODATE.	2004/03/11 10:45
-	1629	secure with boot	USPAT;	2004/03/11 10:45
	_	gogure with boot and ""	EPO; JPO	2004/02/11 11 02
-	3	secure with boot and "xor"	USPAT;	2004/03/11 11:02
		annual 64 with the second in the second	EPO; JPO	0004/00/55 55 55
-	0	ecrypt\$4 with "operating system"	USPAT;	2004/03/11 11:03
			EPO; JPO	
ļ - ·	323	encrypt\$4 with "operating system"	USPAT;	2004/03/11 11:06
	]		EPO; JPO	
-	26	encrypt\$4 with "operating system" with	USPAT;	2004/03/11 11:44
		network	EPO; JPO	
-	5	(("5822565") or ("5848231") or ("5713009")	USPAT;	2004/03/11 15:56
1	·	or ("5287519") or ("5680547")).PN.	EPO; JPO	
-	3		USPAT;	2004/03/11 16:00
		("5774552")).PN. or (2002/0178370).CCLS.	US-PGPUB;	
			EPO; JPO	
-	4	(("20020178370") or ("5604801") or	USPAT;	2004/03/11 16:48
	]	("5418854") or ("5774552")).PN.	US-PGPUB;	, 03, 11 10.40
		,, , ,	EPO; JPO	
-	915	(bootstrap boot) with network	USPAT;	2004/03/11 16:11
	113	,	EPO; JPO	2001,03,11 10.11
-	3	(bootstrap boot) with network with encrypt\$4	USPAT;	2004/03/11 16:14
		Total and Dood, when more when energypeda	EPO; JPO	2004/03/11 10:14
	ı	<u> </u>	220, 020	

-	1281	713/200.ccls.	USPAT; EPO; JPO	2004/03/11 16:14
-	50	713/200.ccls. and exclusive\$1or\$4	USPAT; EPO; JPO	2004/03/11 16:16
-	2	713/200.ccls. and exclusive\$lor\$4 with (kernal os operat\$4 with system)	USPAT; EPO; JPO	2004/03/11 16:23
_	171		USPAT; EPO; JPO	2004/03/11 16:34
-	2	load with ("operating system" kernel) with network same (combine \$2crypt\$4 "xor"	USPAT; EPO; JPO	2004/03/11 16:25
-	0	1	USPAT;	2004/03/11 16:55
-	1	local with remote "xor" with (stor\$4 database) with local with remote	EPO; JPO USPAT; EPO; JPO	2004/03/11 16:59
-	5	"xor" with local with remote	USPAT; EPO; JPO	2004/03/12 09:20
-	35781	"xor" "exclusive or" exclusiveor	USPAT; EPO; JPO	2004/03/12 09:39
-	90	("xor" "exclusive or" exclusiveor) same (os "operating system" kernel core) same (remote network server)	USPAT; EPO; JPO	2004/03/12 09:44
_	20	("xor" "exclusive or" exclusiveor) same ("os" "operating system" kernel core) same (remote network server) same (part section	USPAT; EPO; JPO	2004/03/12 10:32
-	7	"operating system" kernel core) same (remote	USPAT; EPO; JPO	2004/03/12 10:46
_	30	(remote network server) with (part section	USPAT; EPO; JPO	2004/03/12 11:00
-	197	combine) ("xor" "exclusive or" exclusiveor) with \$5random and (713/\$.ccls. 380/\$.ccls.) not	USPAT; EPO; JPO	2004/03/12 12:13
-	34	tele\$8 ("xor" "exclusive or" exclusiveor) with \$5random same stor\$4 and (713/\$.ccls.	USPAT; EPO; JPO	2004/03/12 12:55
-	1	380/\$.ccls.) not tele\$8 ("5604801").PN.	USPAT; EPO; JPO	2004/03/12 13:02
-	7	load with kernal	USPAT; EPO; JPO	2004/03/12 13:11
-	163	load with "operating system" with network	USPAT; EPO; JPO	2004/03/12 13:11
-	1	and 713/\$.ccls. and 380/\$.ccls.	USPAT; EPO; JPO	2004/03/12 13:12
-	46	and (713/\$.ccls. 380/\$.ccls.)	USPAT; EPO; JPO	2004/03/12 13:19
-	12	("3996449"   "4799258"   "4941175"   "4958278"   "4969188"   "4984272"   "5023907"   "5032979"   "5053947"   "5056140"   "5067154"   "5210795").PN.	USPAT	2004/03/12 13:14
-	68	load with "operating system" with different	USPAT; EPO; JPO	2004/03/12 13:35
_	36	load with "operating system" with different and network	USPAT; EPO; JPO	2004/03/12 13:38
_	7	load with "operating system" with different same network	USPAT; EPO; JPO	2004/03/12 13:38
-	4	("5452454"   "5819107"   "5838910"   "5842011").PN.	USPAT	2004/03/12 14:16
-	88	5452454.URPN.	USPAT	2004/03/12 14:25
-	46 11	5452454.URPN. and 713/\$.ccls. (bootstrap "boot image") with (combine "xor"	USPAT USPAT	2004/03/12 14:37 2004/03/12 15:17
-	7641	"exclusive or" exclusiveor) generat\$3 with ("xor" "exclusive or"	USPAT	2004/03/12 15:17
-	100	exclusiveor) with (file program data kernel	USPAT	2004/03/12 15:23
	L	core) and 713/\$.ccls.		

L Number	Hits	Search Text	DB	Time stamp
- 110	4192		USPAT;	2004/01/29 13:01
		713/2.ccls.	US-PGPUB; EPO	2004/01/25 13:01
_	1578	secur\$5 with (instructions code program)	USPAT;	2004/01/26 14:43
	2070	with (load initializ\$4 run\$4)	US-PGPUB; EPO	2001/01/20 14:43
l _ (	169	secur\$5 with (instructions code program)	USPAT;	2004/01/26 15:44
	109	with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	2004/01/26 15:44
		clear\$4) with (cpu processor)	EPO	
-	1	(secur\$5 trust\$4) with (instructions code program) with (load initializ\$4 run\$4) and (reset\$4 clear\$4) with (cpu processor) and	USPAT; US-PGPUB; EPO	2004/01/26 14:51
		(prevent\$4 stop\$4) with memory with access and (unsecur\$ and untrust\$4) with (code		
	_	instructions program)	<b>_</b>	
-	5	"60105891"	USPAT; US-PGPUB; EPO	2004/01/26 15:16
_	10	"60/105,891"	USPAT;	2004/01/26 15:44
	10		US-PGPUB; EPO	2004/01/20 13.44
	100	with (load initializ\$4 run\$4) and (reset\$4	USPAT; US-PGPUB;	2004/01/26 15:45
	_	clear\$4) with (cpu processor) and \$3crypt\$4	EPO	
-	6	, ,	USPAT;	2004/01/26 16:05
		with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	
		clear\$4) with (cpu processor) and \$3crypt\$4	EPO	
		with (instructions code program) and exclusive adj "or"		
_	. 67		USPAT;	2004/01/26 16:06
		with (load initializ\$4 run\$4) and (reset\$4	US-PGPUB;	2004/01/26 16:06
		clear\$4) with (cpu processor) and \$3crypt\$4	EPO	
		with (instructions code program)	•	
-	36	secur\$5 with (instructions code program)	USPAT; EPO	2004/01/26 16:06
		with (load initializ\$4 run\$4) and (reset\$4	, == -	, , == == ==
		clear\$4) with (cpu processor) and \$3crypt\$4		
		with (instructions code program)	,	
-	1		USPAT;	2004/01/27 11:33
	•	load with trusted with memory and reset with	US-PGPUB;	
_	36	(cpu processor)	EPO	2004/01/07 12 52
-	26		USPAT;	2004/01/27 12:28
		reset with (cpu processor)	US-PGPUB; EPO	
_	138	secure with load with (instruction code	USPAT;	2004/01/27 12:30
	133	program)	US-PGPUB;	
			EPO EPO	
-	85	secure with load with (instruction code	USPAT;	2004/01/27 12:33
		program) and @ad<20001122	US-PGPUB;	
			EPO	
-	85		USPAT;	2004/01/27 12:35
		program) and @ad<20001122 not microsoft.as.	US-PGPUB;	
_	8	secure with load with (instruction code	EPO	2004/01/28 10:56
-	8	program) and @ad<20001122 and (clear reset)	USPAT; US-PGPUB;	2004/01/28 10:56
-		with CPU	EPO	
-	3	6378072.URPN.	USPAT	2004/01/28 10:09
- '	16	l	USPAT	2004/01/28 10:05
		"4405829"   "4433207"   "4465901"		,,,
		"4799635"   "4928234"   "5343527"		
		"5421006"   "5625690"   "5717379"		
		"5835594"   "5844986"   "5884986"		
		"6092147").PN.		
-	34	(untrusted unsecure) with (load init\$7) with	USPAT;	2004/01/28 10:42
		(secure trusted)	US-PGPUB;	
	56	(load inite?) with (corum toward) with	EPO	0004/07/00 70 75
-	56	(load init\$7) with (secure trusted) with	USPAT;	2004/01/28 10:43
		(program code data instruction) and clear with (CPU processor)	US-PGPUB;	
		MICH (CLO DIOCEDROI)	EPO .	

-	27	(=====, , , ===== (====== =====, =====	USPAT;	2004/01/28	10:44
		(program code data instruction) and clear with (CPU processor) and (713/\$.ccls.	US-PGPUB; EPO		
		380/\$.ccls.)			
-	1	("6378072").PN.	USPAT;	2004/01/28	17:02
			US-PGPUB;		
		" 00 /00 A TER"	EPO	0004/01/00	
_	1	09/234,757"	USPAT;	2004/01/28	11:31
			US-PGPUB; EPO		
_	6	(unsecur\$5 untrust\$4) with bios	USPAT;	2004/01/28	14:53
		(42004245 42425427, **2011 2202	US-PGPUB;	2001, 02, 20	
			EPO		
-	7	BAB adj opcode	USPAT;	2004/01/28	14:56
			US-PGPUB;		
		DDD and according to the second and beautiful and beautiful and according to the second and beautiful and according to the second acco	EPO	0004/01/00	
_	7	BAB adj opcode and authenticated adj boot	USPAT;	2004/01/28	14:56
			US-PGPUB; EPO		
_	1	("4558176").PN.	USPAT:	2004/01/28	15.34
	_	( 1330170 )	US-PGPUB;	2001,01,20	13.54
			EPO		
-	0	("bootwithcomputerwithfloppyandrestorewithbac)		21010/4/01/28	17:03
			US-PGPUB;		
		l	EPO		
-	5		USPAT;	2004/01/29	09:21
		with backup with data	US-PGPUB; EPO		
_	31	   computer with backup and restore and	USPAT;	2004/01/29	09.41
_	31	prevent\$4 with memory with access	US-PGPUB;	2004/01/29	V2:41
		breveweds with memory with deceas	EPO		
_	13	computer with backup and computer with	USPAT;	2004/01/29	10:18
		restore and prevent\$4 with memory with	US-PGPUB;	,,	_ =
	1	access	EPO		
-	25		USPAT;	2004/01/29	10:19
		restore and (prevent\$4 stop) with (memory	US-PGPUB;		
		data storage bus) with access	EPO	2004/22/22	10 10
-	12		USPAT;	2004/01/29	10:19
		restore and (prevent\$4 stop) with (memory data storage bus) with access) not (computer	US-PGPUB; EPO		
		with backup and computer with restore and	2.0		
		prevent\$4 with memory with access)			
-	430		USPAT;	2004/01/29	13:01
			US-PGPUB;		
		///#4005500# #4050100# #105550##	EPO	0004/55/5	
-	65		USPAT;	2004/02/24	17:01
		"5023907" or "5050213" or "5140634" or "5276311" or "5335334" or "5410598" or	US-PGPUB; EPO		
	]	"5473690" or "5473692" or "5491827" or	210		
		"5544246" or "5557518" or "5654746" or			
		"5664016" or "5671280" or "5721781" or			
		"5745886" or "5757919" or "5796824" or			
		"5892900" or "5892902" or "5892904" or			
		"5910987" or "5915019" or "5917912" or			
		"5920861" or "5919257" or "5933498" or			
		"5940504" or "5943422" or "5949876" or			
		"5958050" or "5963980" or "5982891" or   "5991399" or "5991876" or "6006332" or			
		"5991399" Of "5991876" Of "6006332" Of   "6009274" or "6009401" or "6026166" or			
		"6032257" or "6038551").pn.) or (("6073124"			
		or "6092189" or "6112181" or "6118873" or			
	1	"6148402" or "6175917" or "6185683" or			
		"6189100" or "6192473" or "6212636" or	•		
		"6229894" or "6237786" or "6240185" or			
		"6253193" or "6272629" or "6338139" or			
		"6341373" or "6363488" or "6367012" or			
		"6381741" or "6389402" or "6389537" or			
		"6427140" or "6449367" or "6477252" or "6480961" or "5787427" or "20010025281" or			
1		"20020007452" or "20020069395" or			
		"20020107432 01 20020009335 01 "20020107803" or "20020120936" or			
1		"20020152173").pn.)) not ginter.in.			

-	5416	bootstrap	USPAT;	2004/02/25 14:36
			US-PGPUB;	
	١ ,	bootstrap with untrust\$3	EPO USPAT;	2004/02/25 14:42
-	1	bootstrap with untrustys	US-PGPUB;	2004/02/25 14:42
			EPO EPO	
_	23	bootstrap and secure adj operating adj	USPAT;	2004/02/25 15:17
		system	US-PGPUB;	
		•	EPO	
-	82	bootstrap and secure with operating system	USPAT;	2004/02/25 15:19
		and unsecure with bios	US-PGPUB;	
	_		EPO	
-	47	1	USPAT;	2004/02/27 10:08
		"6112181" or "6118873" or "6138119" or	US-PGPUB;	
İ		"6148402" or "6148387" or "6157721" or "6175917" or "6185683" or "6185678" or	EPO	
		"6189100" or "6192473" or "6212636" or		
		"6223284" or "6229894" or "6230285" or		}
	1	"6237786" or "6240185" or "6253193" or		
		"6263431" or "6272629" or "6292569" or		
		"6327652" or "6330588" or "6338139" or		
		"6341373" or "6363486" or "6363488" or		
		"6367012" or "6381741" or "6389402" or		
	1	"6389537" or "6427140" or "6449367" or		
		"6477252" or "6477648" or "6480961" or		
		"6560706" or "5787427" or "20010025281" or		1
		"20020007452" or "20020069395" or		
		"20020107803" or "20020120936" or		
	F0	"20020152173").pn. ("4827508" or "4969189" or "4977594" or	HCDAM	2004/02/27 10 00
_	30	"5023907" or "5050213" or "5140634" or	USPAT; US-PGPUB;	2004/02/27 10:09
		"5276311" or "5335334" or "5410598" or	EPO EPO	
		"5473690" or "5473692" or "5491827" or		
		"5544246" or "5557518" or "5654746" or		
		"5664016" or "5671280" or "5721781" or		
		"5745886" or "5757919" or "5796824" or		
		"5812662" or "5812980" or "5841869" or		
	Ì	"5872847" or "5892900" or "5892902" or		
		"5892904" or "5910987" or "5915019" or		
		"5917912" or "5920861" or "5919257" or		
		"5933498" or "5940504" or "5943422" or		
		"5944821" or "5949876" or "5953502" or   "5958050" or "5963980" or "5982891" or		
		"5991399" or "5991876" or "6006332" or		
		"6009274" or "6009401" or "6026166" or		
		"6032257" or "6038551").pn.		
		/ <b>'P***</b>	1	1

-	49	("5421006"	USPAT;	2004/02/27 10:10
		"5944821"	US-PGPUB;	
		"4584639"	EPO	
		"5675649"		
		"5958050"		
		"5978484"		
	ļ	"6154844"		
		"5987123"		
		"5537540"		
		"6393569"		
		"6253193"		
		"6363488"		
		"6389402"		
		"6427140"		,
		"6189146"		•
		"5544322"		
		"6081899"		
		"6092201"		
		"6219788"		
		"6219788"		
		"6167521"		
		"5673034"		
	•	"6199181"		
		"6327652"		
		"4817140"		
		"5570207"		
		"5210795"		
		"6138239"		
	1	"5542077"		
		"59582077"   "5958051"		
		"6021491"		
		"5634036" "6333685"		
		"6233685"		
		"5951685" "6112202"	1	
		"6112303"		
		"5293590"		
	[	"5603055"		
	[	"5675772"	į	
		"5680556"		
		"5706514"		
		"5790850"		
		"5822601"		
		"5848367"		
		"6363473"		
		"6463550"		
		"6496945"		
	[	"5287519"		
		"5341422"		
		"5388156"		
	1	"5432939" \ nn	i i	

		/// " 50 70 20 4 11 11 11 11 11 11 11 11 11 11 11 11 1		1 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-	7	((("6073124" or "6092189" or "6105137" or	USPAT;	2004/02/27 10:1:
		"6112181" or "6118873" or "6138119" or	US-PGPUB;	
		"6148402" or "6148387" or "6157721" or	EPO	
		"6175917" or "6185683" or "6185678" or		
	•	"6189100" or "6192473" or "6212636" or		
		"6223284" or "6229894" or "6230285" or		
		"6237786" or "6240185" or "6253193" or		
		"6263431" or "6272629" or "6292569" or		
		"6327652" or "6330588" or "6338139" or		
		"6341373" or "6363486" or "6363488" or		
	Ì	"6367012" or "6381741" or "6389402" or		
		"6389537" or "6427140" or "6449367" or		
		"6477252" or "6477648" or "6480961" or	Ì	
		"6560706" or "5787427" or "20010025281" or	,	
		"20020007452" or "20020069395" or		
		"20020107803" or "20020120936" or		
	İ	"20020152173").pn.) (("4827508" or "4969189"		
		or "4977594" or "5023907" or "5050213" or		
		"5140634" or "5276311" or "5335334" or		
		"5410598" or "5473690" or "5473692" or		
		"5491827" or "5544246" or "5557518" or		
		"5654746" or "5664016" or "5671280" or		
		"5721781" or "5745886" or "5757919" or		
		"5796824" or "5812662" or "5812980" or	1	]
		"5841869" or "5872847" or "5892900" or		
		"5892902" or "5892904" or "5910987" or		
		"5915019" or "5917912" or "5920861" or		
	1	"5919257" or "5933498" or "5940504" or		
		"5943422" or "5944821" or "5949876" or		
		"5953502" or "5958050" or "5963980" or		
		"5982891" or "5991399" or "5991876" or		
		"6006332" or "6009274" or "6009401" or	1	
		"6026166" or "6032257" or "6038551").pn.))		
		and (("5421006"		
		"5944821"		
		"4584639"		
	İ	"5675649"		
		"5958050"		
		"5978484"	1	
		"6154844"		
		"5987123"		
		"5537540"		
		"6393569"		
		"6253193"		
		"6363488"		
	ĺ	"6389402"		
		"6427140"		
		"6189146"	1	
		"5544322"		
		"6081899"		
		"6092201"		
		"6219788"	•	
		"6219788"		
		"6167521"		
		"5673034"		
		"6199181"		
		"6327652"		
		"4817140"		
		"5570207"		
		"5210795"		
		"6138239"		
		"5542077"		
		"5958051"		
		"5958051" "6021491"		
		"5634036"	Ì	
		"5634036" "6233685"		
		"6233685" "5951685"		
		"6.112303"		
		"5293590"		
		"5603055" "5675772"		
		"5675772"		
		"5680556" "E706E14"		
	tory 3	19/16:10:16:09 AM Page 5		
arch His				1
	ST\Workspa	ი <del>ივა</del> ჯჯგე1398.wsp		
arch His	ST\Workspa	<del>ces ഗൂറ്റ്</del> വ് 1398 . wsp "5848367"		

-	42	(("5421006"	USPAT;	2004/02/27 10:22
		"5944821"	US-PGPUB;	
1		"4584639"	EPO	
		"5675649"		
		"5958050"		i e
		"5978484"		
		"6154844"		
		"5987123"		
	İ	"5537540"		
		"6393569" <i>*</i>		
		"6253193"·		
		"6363488"		
i	i	"6389402"		
'		"6427140"		
		"6189146"	!	
'		"5544322"		
		"6081899"		
		"6092201"		
		"6219788"		
		"6219788"		
		"6167521"		
		"5673034" .		
		"6199181"	1	
		"6327652"		
		"4817140"		
		"5570207"		
		"5210795"		
		"6138239"		
		"5542077"	1	
		"5958051"		
		"6021491"		
		"5634036"		
		"6233685 <b>"</b>		
		"5951685"		
	]	"6112303"		
,		"5293590"		
		"5603055"		
	:	"5675772"		
		"5680556"		
		"5706514"		
		"5790850"		
		"5822601"		
	. '	"5848367"		
		"6363473"		
		"6463550 <b>"</b>		
		"6496945"		
	1	"5287519"		
		"5341422"		
		"5388156 <b>"</b>		
		"5432939").pn.) not (("4827508" or "4969189"		
		or "4977594" or "5023907" or "5050213" or		
		"5140634" or "5276311" or "5335334" or		
		"5410598" or "5473690" or "5473692" or		
		"5491827" or "5544246" or "5557518" or		
	-	"5654746" or "5664016" or "5671280" or		
		"5721781" or "5745886" or "5757919" or		
		"5796824" or "5812662" or "5812980" or		
		"5841869" or "5872847" or "5892900" or		
		"5892902" or "5892904" or "5910987" or		
		"5915019" or "5917912" or "5920861" or		
		"5919257" or "5933498" or "5940504" or		
		"5943422" or "5944821" or "5949876" or		
		"5953502" or "5958050" or "5963980" or		•
		"5982891" or "5991399" or "5991876" or		
		"6006332" or "6009274" or "6009401" or		
		"6026166" or "6032257" or "6038551").pn.)		
		not (("6073124" or "6092189" or "6105137" or		
		"6112181" or "6118873" or "6138119" or		
		"6148402" or "6148387" or "6157721" or		
	}	"6175917" or "6185683" or "6185678" or		
	1	"6189100" or "6192473" or "6212636" or		
		"6223284" or "6229894" or "6230285" or		
Search His	tory 3	18/33/7486" or "6240185" or "6253193" or 18/34/31 or "6272629" or "6292569" or	<del>                                     </del>	
	ST Warker	"6263431" or "6272629" or "6292569" or		
C. MPPS LEP	I MOTERDO	1063 1067210 85 web30588" or "6338139" or		
	1	"6341373" or "6363486" or "6363488" or		
			•	•